New range of stoves

Esmaltec

The stove that delivers the best experience for you.

Design | Beauty | Durability | Practicality This is perceived value, this is Esmaltec.

Find out the stoves IDEAL SUPER & IDEAL POP



IDEAL Super

Perfect for those who don't make concessions when it comes to beauty and practicality.



Available in White, Black, Stainless Steel and Titanium



- Stainless steel cooking surface with backsplash.
- Double grids with more support:





More resistant, robust

and ergonomic knob.







Easy Clean Oven.1 adjustable shelf.

Oven capacity: 50L (4 burners) 84L (5 burners)

Full glass oven door. Removable internal glass.





IDEAL SUPER White 4 burners

- Stainless steel cooking surface with backsplash;
- Available in: white, black, stainless steel and titanium;
- Automatic full ignition;
- Double grids with more supports;
- Burners: 1 large and 3 small enameled burners;
- Easy Clean Oven;
- Full glass oven door;
- Oven capacity: 50L;
- Removable internal glass;
- Ergonomic handle;



- 1 adjustable shelf;
- High, straight feet with easy fit.

IDEAL SUPER Black 4 burners

- Stainless steel cooking surface with backsplash;
- Available in: white, black, stainless steel and titanium;
- Automatic full ignition;
- Double grids with more supports;
- Burners: 1 large and 3 small enameled burners;
- Easy Clean Oven;
- Full glass oven door;
- Oven capacity: 50L;
- Removable internal glass;
- Ergonomic handle;



1 adjustable shelf;

.

• High, straight feet with easy fit.



<u>Click here</u> to access the **augmented reality** of the products.



IDEAL SUPER White 5 burners

- Stainless steel cooking surface with backsplash;
- Available in: white, black, stainless steel and titanium;
- Automatic full ignition;
- Double grids with more supports;
- Burners: 1 super flame, 1 large and 3 small enameled burners;
- Easy Clean Oven;
- Full glass oven door;
- Oven capacity: 84L;
- Removable internal glass;
- Ergonomic handle;



- 1 adjustable shelf;
- High, straight feet with easy fit.

IDEAL SUPER Titanium 5 burners

- Stainless steel cooking surface with backsplash;
- Available in: white, black, stainless steel and titanium;
- Automatic full ignition;
- Double grids with more support;
- Burners: 1 super flame, 1 large and 3 small enameled burners;
- Easy Clean Oven;
- Full glass oven door;
- Oven capacity: 84L;
- Removable internal glass;



- Ergonomic handle;
- 1 adjustable shelf;
- High, straight feet with easy fit.

<u>Click here</u> to access the **augmented reality** of the products.

The right choice for those looking for modernity with the best cost-benefit.



Available in White, Black, Stainless Steel and Titanium




- Stainless steel cooking surface with backsplash.
- Double enameled steel grids:



More resistant, robust and ergonomic knob.







Easy Clean Oven.
1 adjustable shelf.

Oven capacity: 50L (4 burners) 84L (5 burners)

Full glass oven door. Removable internal glass.





IDEAL POP White 4 burners

- Stainless steel cooking surface with backsplash;
- Manual ignition;
- Double enameled steel grids;
- Burners: 1 large and 3 small enameled burners;
- Easy Clean Oven;
- Full glass oven door;
- Oven capacity: 50L;
- Removable internal glass;
- Ergonomic handle;
- 1 adjustable shelf;
- High, straight feet with easy fit.

IDEAL POP Black 4 burners

- Stainless steel cooking surface with backsplash;
- Manual ignition;
- Double enameled steel grids;
- Burners: 1 large and 3 small enameled burners;
- Easy Clean Oven;
- Full glass oven door;
- Oven capacity: 50L;
- Removable internal glass;
- Ergonomic handle;
- 1 adjustable shelf;
- High, straight feet with easy fit.







IDEAL POP White **5** burners

- Stainless steel cooking surface with backsplash;
- Manual ignition;
- Double enameled steel grids;
- Burners: 1 super flame, 1 large and 3 small enameled burners;
- Easy Clean Oven;
- Full glass oven door;
- Oven capacity: 84L;
- Removable internal glass;
- Ergonomic handle;
- 1 adjustable shelf;

High, straight feet with easy fit.

IDEAL POP Black 5 burners

- Stainless steel cooking surface with backsplash;
- Manual ignition;
- Double enameled steel grids;
- Burners: 1 super flame, 1 large and 3 small enameled burners;
- Easy Clean Oven;
- Full glass oven door;
- Oven capacity: 84L;
- Removable internal glass;
- Ergonomic handle;



- 1 adjustable shelf;
- High, straight feet with easy fit.

<u>Click here</u> to access the augmented reality of the products.



IDEAL LINE Technical information

IDEAL SUPER

Product Code	0104002935	0104002937	0104002936	0104002943
Description	IDEAL SUPER 5B WHITE	IDEAL SUPER 5B BLACK	IDEAL SUPER 5B INOX	IDEAL SUPER 5B TITANIUM
EAN	7899081701684	7899081700304	7899081700298	7899081700311
Dimensions without packaging HxWxD (mm)	880x720x576	880x720x576	880x720x576	880x720x576
Net Weight (kg)	23.1	23.1	23.1	23.1
Dimensions with Packaging HxWxD (mm)	830 x 730 x 600	830 x 730 x 600	830 x 730 x 600	830 x 730 x 600
Gross Weight (kg)	26.7	26.7	26.7	26.7
Oven Volume (L)	84	84	84	84
Voltage (V)	127-220	127-220	127-220	127-220
Gas Pressure (kPa)	2.75	2.75	2.75	2.75
Power (kW)	12.7	12.7	12.7	12.7
Electrical Power (W)	2W-4W	2W-4W	2W-4W	2W-4W
Gas Type	LPG	LPG	LPG	LPG
Classif. Table / Oven	A/A	A/A	A/A	A/A
NCM	73211100	73211100	73211100	73211100
Product Code	0104002932	0104002934	0104002933	0104002942
Description	IDEAL SUPER 4B WHITE	IDEAL SUPER 4B BLACK	IDEAL SUPER 4B INOX	IDEAL SUPER 4B TITANIUM
Description EAN	IDEAL SUPER 4B WHITE 7899081701479	IDEAL SUPER 4B BLACK 7899081700274	IDEAL SUPER 4B INOX 7899081700267	IDEAL SUPER 4B TITANIUM 7899081700281
EAN Dimensions without	7899081701479	7899081700274	7899081700267	7899081700281
EAN Dimensions without packaging HxWxD (mm)	7899081701479 880x470x576	7899081700274 880x470x576	7899081700267 880x470x576	7899081700281 880x470x576
EAN Dimensions without packaging HxWxD (mm) Net Weight (kg) Dimensions with Packaging	7899081701479 880x470x576 17.2	7899081700274 880x470x576 17.2	7899081700267 880x470x576 17.2	7899081700281 880x470x576 17.2
EAN Dimensions without packaging HxWxD (mm) Net Weight (kg) Dimensions with Packaging HxWxD (mm)	7899081701479 880x470x576 17.2 815 x 480 x 590	7899081700274 880x470x576 17.2 815 x 480 x 590	7899081700267 880x470x576 17.2 815 x 480 x 590	7899081700281 880x470x576 17.2 815 x 480 x 590
EAN Dimensions without packaging HxWxD (mm) Net Weight (kg) Dimensions with Packaging HxWxD (mm) Gross Weight (kg)	7899081701479 880x470x576 17.2 815 x 480 x 590 19.1	7899081700274 880x470x576 17.2 815 x 480 x 590 19.1	7899081700267 880x470x576 17.2 815 x 480 x 590 19.1	7899081700281 880x470x576 17.2 815 x 480 x 590 19.1
EAN Dimensions without packaging HxWxD (mm) Net Weight (kg) Dimensions with Packaging HxWxD (mm) Gross Weight (kg)	7899081701479 880x470x576 17.2 815 x 480 x 590 19.1 50	7899081700274 880x470x576 17.2 815 x 480 x 590 19.1 50	7899081700267 880x470x576 17.2 815 x 480 x 590 19.1 50	7899081700281 880x470x576 17.2 815 x 480 x 590 19.1 50
EAN Dimensions without packaging HxWxD (mm) Net Weight (kg) Dimensions with Packaging HxWxD (mm) Gross Weight (kg) Oven Volume (L) Voltage (V)	7899081701479 880x470x576 17.2 815 x 480 x 590 19.1 50 127-220	7899081700274 880x470x576 17.2 815 x 480 x 590 19.1 50 127-220	7899081700267 880x470x576 17.2 815 x 480 x 590 19.1 50 127-220	7899081700281 880x470x576 17.2 815 x 480 x 590 19.1 50 127-220
EAN Dimensions without packaging HxWxD (mm) Net Weight (kg) Dimensions with Packaging HxWxD (mm) Gross Weight (kg) Oven Volume (L) Voltage (V) Gas Pressure (kPa)	7899081701479 880x470x576 17.2 815 x 480 x 590 19.1 50 127-220 2.75	7899081700274 880x470x576 17.2 815 x 480 x 590 19.1 50 127-220 2.75	7899081700267 880x470x576 17.2 815 x 480 x 590 19.1 50 127-220 2.75	7899081700281 880x470x576 17.2 815 x 480 x 590 19.1 50 127-220 2.75
EAN Dimensions without packaging HxWxD (mm) Net Weight (kg) Dimensions with Packaging HxWxD (mm) Gross Weight (kg) Oven Volume (L) Voltage (V) Gas Pressure (kPa)	7899081701479 880x470x576 17.2 815 x 480 x 590 19.1 19.1 50 127-220 2.75 8.85	7899081700274 880x470x576 17.2 815 x 480 x 590 19.1 19.1 50 127-220 2.75 8.85	7899081700267 880x470x576 17.2 815 x 480 x 590 19.1 50 127-220 8.85	7899081700281 880x470x576 17.2 815 x 480 x 590 19.1 19.1 50 127-220 2.75 8.85
EAN Dimensions without packaging HxWxD (mm) Net Weight (kg) Dimensions with Packaging HxWxD (mm) Gross Weight (kg) Oven Volume (L) Oven Volume (L) Soltage (V) Gas Pressure (kPa) Power (kW)	7899081701479 880x470x576 17.2 815 x 480 x 590 19.1 50 127-220 8.85 8.85	7899081700274 880x470x576 17.2 815 x 480 x 590 19.1 50 127-220 8.85 8.85	7899081700267 880x470x576 17.2 815 x 480 x 590 19.1 50 127-220 8.85 8.85	7899081700281 880x470x576 17.2 815 x 480 x 590 19.1 50 127-220 2.75 8.85 2W-4W
EAN Dimensions without packaging HxWxD (mm) Net Weight (kg) Dimensions with Packaging HxWxD (mm) Gross Weight (kg) Oven Volume (L) Oven Volume (L) Soltage (V) Cas Pressure (kPa) Electrical Power (W)	7899081701479 8880x470x576 17.2 815 x 480 x 590 19.1 19.1 50 19.1 20 20 20 20 20 20 20 20 20 20 20 20 20	7899081700274 880x470x576 17.2 815 x 480 x 590 19.1 50 127-220 8.85 2.75 8.85 2W-4W LPG	7899081700267 880x470x576 17.2 815 x 480 x 590 19.1 50 127-220 2.75 8.85 2.W-4W LPG	7899081700281 880x470x576 17.2 815 x 480 x 590 19.1 50 127-220 8.85 2.75 8.85 2W-4W LPG

IDEAL POP

Product Code	0104002940	0104002941	0104002938	0104002939
Description	IDEAL POP 5B WHITE	IDEAL POP 5B BLACK	IDEAL POP 4B WHITE	IDEAL POP 4B BLACK
EAN	7899081701691	7899081700335	7899081701462	7899081700328
Dimensions without packaging HxWxD (mm)	880x720x576	880x720x576	880x470x576	880x470x576
Net Weight (kg)	22.6	22.6	16.8	16.8
Dimensions with Packaging HxWxD (mm)	830 x 730 x 600	830 x 730 x 600	815 x 480 x 590	815 x 480 x 590
Gross Weight (kg)	26.2	26.2	18.7	18.7
Oven Volume (L)	84	84	50	50
Voltage (V)	-	-	-	-
Gas Pressure (kPa)	2.75	2.75	2.75	2.75
Power (kW)	12.7	12.7	8.85	8.85
Electrical Power (W)	-	-	-	-
Gas Type	LPG	LPG	LPG	LPG
Classif. Table / Oven	A/A	A/A	A/B	A/B
NCM	73211100	73211100	73211100	73211100

New range of stoves













Esmaltec reserves the right to change the specifications of its products without prior notice. Images are merely illustrative.